

Waterproof battery camera

Waterproof battery camera

Model:VG-BR-S1



Picture



50 Meter Strong Penetration


No More Attention for No Signals, No Sound





Supports Mobile phone real-time monitoring

You will never miss any visitor even if you go outside, by just waking up the monitoring anytime, anywhere



- 1.Lens 2.Light Sensor 3.PIR 4.Indicator Light
- 5.Stent Screw 6.Fixed Hole 7.Speaker 8.Magnet stand
- 9.USB Interface 10.Reset Button 11.Power Button
- 12.TF Card Slot 13.Battery Compartment

See it Anytime, Anywhere

No matter if you are traveling, going to work, on a business trip, etc., you can turn on your video doorbell at any time and anywhere to find out all the dynamic information of your house



Travel

Work in the office



Business Trip

in the Car



Technology data

Price	Name	WIFI battery camera
describe	features	wireless connection, Ultra-low power consumption, Remote active awakening, Quick start
	use	Visitors can make a video call and make a short video recording so that the owner can find out the information
	Wake up the way	Button wakes up, PIR human body detects and wakes up, mobile phone wakes up
	Alarm push	Push for 1 second
operating system	Number of users online	Multiple users are online simultaneously
	Dynamic DNS	Bring your own dynamic domain name
	processor	A powerful, high-performance, programmable media HiSilicon processor with built-in ARM926 @max. 440MHz and high-speed video processor
collect	Sensor	1/4 inch 720p scan CMOS sensor
	Sensor performance	Support automatic white balance, automatic gain control, automatic back lighting compensation
	SNR	≥39dB
	LUX	0.8Lux/F1.4 (Color pattern) ,0.3Lux/F1.4 (Black and white pattern)
	Lens/visual Angle	1.7mm@F2.4/166°
	LED	Double filter automatic switching, six 850 - nm Φ 28 mil high power infrared lamp, night vision 10 meters
	IR control	IR opens night vision, Automatic detection of infrared and ICR; IR shuts the night vision function off the infrared and the ICR is fixed in daily viewing mode
video	Compression standard	H.264 Main Profile/H.264 Baseline Profile/MJPEG/JPEG Baseline
	Video coding	More stream: 720P/24fps+VGA/30fps+QVGA/30fps+720P @1fsJPEG snap
	resolution	1080*720
audio	input	1 channel built-in - 48dB microphone
	output	Built-in speaker (8 Ω 1 w)
	interphone	Two - way voice - speak, bring back the echo cancellation
	Compression standard/ code rate	ADPCM/32kbps
network	Network protocol	TCP/IP,HTTP,TCP,UDP,SMTP,FTP,DHCP,DNS,DDNS,NTP,UPnP,RTSP, P2P
	wireless network	802.11b/g/n
	Wireless network security	WPS Security encryption
	wireless connection	One-button WIFI configuration
video	Video mode	Mobile detection video, doorbell button trigger video, manual video
	storage	The TF card stores the maximum support for 32gb
other	power	Battery-powered two 18650 batteries, international; USB 5V power supply

Power consumption	Standby current 120 uA working current 170MA
work environment	Working temperature: - 10 ~ 50 °C, humidity is < 95%
installation	Wall mounting
material	ABS
Water-proof Level	IP54 (rainproof)
Product size	Length 96.5mm X Diameter 65.5mm
Packing size	100mm X 175mm X 77.5mm